

It Allows A Woman To Have
An Attractive Body, Look
Younger, And The Ability To
Produce Healthy Children;
Maintain Bone Density
And Provide Good Support
For Cardiovascular And
Memory Brain Functions.

REOX series




RETURNLEGACY
Special Life | Special Legacy

Youth of woman determined by the level of female hormones

Female hormones (estrogen & progesterone) are a beautiful gift from God. It allows a woman to have an attractive body, look younger, and the ability to produce healthy children; maintain bone density and provide good support for cardiovascular and memory brain functions. With the increasing of age, “ovary” that produces hormones is shrinking. Secretion capacity is declining, making the aging sex organs, shrinkage, declining function, dark skin, body shape changes, lack of enthusiasm and the quality of sexual intercourse decreased.



Production of Estrogen



- Age 21-22 is the peak secretion of female hormones.
- Around age 30, secretion of female hormones is 85% of the peak.
- At the age of 40, approximately 30% loss of function.
- At the age of 50, 40% of the functionality lost.
- At the age of 60, compared with only one quarter of youth.

The body will be on alert when hormone deficiency, it will cause:

- Menstrual abnormalities.
- Depression.
- Osteoporosis.
- Gynecological diseases, such as vaginitis, cervicitis, uterine meningitis, salpingitis, uterine fibroids.
- Difficulty pregnancy.
- Cardiovascular disease.
- Urinary tract infections.
- Breast disease.
- Sagging breasts.
- Obesity.
- Wrinkles.
- Black patches of skin.
- Dry and rough skin.



BENEFITS OF W+

Internal

- Improve the symptoms of menopause such as hot flashes, night sweats, emotional, increasing of heart beats, and others.
- Better relationship between spouses.
- Increase the chances of pregnancy.
- Improve menstrual pain problems.
- Prevent uterus tumors, breast cancer and other problems.
- Lowering cholesterol levels.

External

- Fuller and firmer breasts.
- Buttocks become more plump and compact.
- The skin becomes smooth and fair.
- Lighten dark spots.
- Slim and attractive.
- Shiny hair.
- Healthy nails.
- Smooth heel.



INGREDIENTS OF W+



W+ is an ingredient designed specifically for women to rejuvenate, these ingredients have combined a variety of natural plant extracts and injected with new technology from Japan which is Micro-mineralised Nutrient Technology (MMNT) or so-called technology micro-cluster to help regulates the secretion of female hormones and hormone balance, rejuvenation, allowing women to maintain physical and mental health. In addition, the micro-cluster technology will change nutrients W+ become smaller and more delicate, allowing nutrients absorbed quickly and help women become healthier in terms of internal, more beautiful and younger of external.



Pueraria Mirifica

- Miroestrol and Deoxymiroestrol in Pueraria Mirifica can promote blood circulation of the breast, breast size develop and enhance the formation of fibroblasts and collagen breast. After consume, it will help to achieve the ultimate size of breast, breast firming, fighting the dark areola and smooth the skin of breast.
- Role structure of Miroestrol and Deoxymiroestrol similar to human estrogen, so menopausal women consumed can relieve the symptoms of menopause.
- It also activates the cells that have been aging, promoting protein synthesis, and makes the skin more radiant and elastic.

INGREDIENTS OF W+



Fenugreek

- Promote breast growth, relieve symptoms of menopause and premenstrual syndrome improves.
- Treat constipation, improve digestive problems, diabetes control, lowering cholesterol and relieve sore throat and cough.



Fennel Seed

- Improves neurovascular gastrointestinal function, promotes the secretion of digestive juices, increases gastrointestinal motility, remove the gas accumulated in the body, so effectively to the health of the stomach and promotes blood circulation.
- Suitable for women of menstrual pain.



Wild Yam

- Improve skin moisture, making the skin more smooth and elastic.
- Called “essence of youth” in Japan, always eat can slow down the aging process and makes the skin smooth and radiant.
- Effective to prevent the precipitation of lipids in the blood vessel wall, prevent cardiovascular disease.

INGREDIENTS OF W+



Dandelion

- Dandelion root plays an important role in producing sufficient milk (after childbirth).
- Dandelion root has anti-inflammatory, anti-viral and highly effective in the treatment of mastitis.
- It also helps a diuretic and blood purifying.



Blessed Thistle

- Prevent damage to the liver, forming a protective film layer to the liver cells and block the toxins from damaging the liver.
- Regulating menstrual period for women who are not on time.

HOW TO CONSUME?



1. Start to consume on the first day of menstruation and up to ten days in a row. Take 2 packets a day, morning and night respectively and continue this practice for the next menstrual cycle.
2. Menopausal women taking one packet per day.
3. Pour powder W+ under the tongue, dilute with oral fluid, then absorb the nutrients products slowly.

**** Pregnant women are not encouraged to consume.**



PHYSICAL REACTIONS



After consume W+, you may experience the following physical reactions:

Physical Reaction	Reasons	Treatment
Diarrhea	Excessive bad bacteria in the large intestine.	Drink water; eat vegetables and fruits in abundance. Lots of exercise. Consume W+ from the first day of menstruation, 2 packets a day until the tenth day in a row, then continue again on next menstrual cycle.
Fart a lot, chest tightness, nausea, feel like vomiting	Weak of digestion system, hormone imbalances.	Consume W+ from the first day of menstruation, 2 packets a day until the tenth consecutive day (after meal), then continue again on next menstrual cycle.
Acne, red skin dotted, sweating	Liver function deteriorates, too many toxins in the body, hormone imbalance.	Drink water, eat vegetables and fruits in abundance. Lots of exercise. Consume W+ from the first day of menstruation, 2 packets a day until the tenth day in a row, then continue again on next menstrual cycle.
Easily tired, like to sleep, hand and foot pain	Body's pH acidic, decreased liver function, stress, over fatigue or taking too many drugs.	Consume W+ from the first day of menstruation, 1 packet per day until the tenth day in a row (at night), then continue again on the next menstrual cycle. Drink water, eat vegetables and fruits in abundance. Reduce intake of meat and have sufficient rest.

PHYSICAL REACTIONS

Physical Reaction	Reasons	Treatment
Dizziness, tiredness, want to sleep, weakness, easy to feel hungry	Low blood sugar, anemia. During the burning of fat, blood sugar will drop.	Consume W+ from the first day of menstruation, 2 packets a day until the tenth consecutive day (after meal), then continue again on next menstrual cycle.
Mild fever, very enthusiastic, hard to sleep at night	Promote blood circulation, increase body metabolism, producing energy, increase body temperature.	Drink plenty of water, consume the W+ from the first day of menstruation, 1 packet per day until the tenth consecutive day (morning), then continue again on next menstrual cycle.
Hands and feet numb, stiff	Bad blood circulation, lack of calcium.	Drink more milk or intake high calcium diet, consume the W+ from the first day of menstruation, 2 packets a day until the tenth day in a row, then continue again on next menstrual cycle.
Facial and leg swelling, weight gain	Deterioration of renal function and heart.	Light diet, consume W+ from the first day of menstruation, 2 packets a day until the tenth day in a row, then continue again on next menstrual cycle.
Breast pain and tenderness	Activating the estrogen receptor.	Consume W+ from the first day of menstruation, 2 packets a day until the tenth day in a row, and then continue again on the next menstrual cycle.

PHYSICAL REACTIONS



Physical Reaction	Reasons	Treatment
Abnormal and excessive white discharge	Regulating hormone levels in the body, remove toxins in the body.	Consume W+ from the first day of menstruation, 2 packets a day until the tenth day in a row, and then continue again on next menstrual cycle.
Early or delay of menstruation	Regulating hormone levels in the body.	Consume W+ from the first day of menstruation, 1 packet per day until the tenth day in a row, and then continue again on next menstrual cycle.

**** Every individual has different physical reactions because of the condition of health of each individual is not the same.**

CERTIFICATION

ACUMEN
ONE STOP ANALYSIS SOLUTIONS

Plot No. 236, Tingkat Perumahan 5, Kawasan Perumahan Peral 2,
13600 Perai, Penang, Malaysia.
Tel : +604-398 1609 Fax : +604-399 1609
Email: inquiry@acumen.com.my Website: www.acumen.com.my

ISO 17025
MS ISO/IEC 17025
TESTING
SAMR NO. 231

CERTIFICATE OF ANALYSIS

RETURN LEGACY GROUP
49-2 & 49-M, Jin Pju 5/20,
The Strand, Kota Damansara,
47810 Petaling Jaya,
Selangor.
Tel : 03-6142 6026 Fax : 03-3142 4026
Attn : Mr Lee

Certificate No : CN/FDS0182/0614
Sample Log Code : FDS0188/0614
Sample Received Date : 20-Jun-2014
Complete Analysis Date : 26-Jun-2014
Date Issue : 26-Jun-2014

Sample Description : W+
Analysis results :

Parameter	Units	Analysis Result	Standard Method/Technique/Equipment Used
Antimony	mg/kg	ND(<0.5)	In-house method LWI-TEC-F015 based on AOAC 954.16 (1997)
Arsenic	mg/kg	ND(<0.5)	In-house method LWI-TEC-F010 based on Pearson's Chemical Analysis of Foods 9th Edition (1991)
Cadmium	mg/kg	ND(<0.1)	In-house method LWI-TEC-F033 based on AOAC 985.01 (1997)
Lead	mg/kg	ND(<1)	In-house method LWI-TEC-F033 based on AOAC 985.01 (1997)
Mercury	mg/kg	ND(<0.05)	In-house method LWI-TEC-F012 based on Pearson's Chemical Analysis of Foods 9th Edition (1991)
Tin	mg/kg	ND(<10)	In-house method LWI-TEC-F033 based on AOAC 985.01 (1997)

Symbol "ND" denotes parameter which is not included within the scope of accreditation. ND denotes not detected.

Remark : -

Team Chin Mean
Manager
M.Sc., AMIC
A/2152/4620/04

Page 1/1

(*) Numerical number denotes detection limits

This report is provided solely for informational purposes and is not to be construed as providing legal advice, recommendations or warranties of any kind whatsoever. This report shall not be reproduced except in full, without written approval of the laboratory. All the analysis results shown in the certificates of analysis refer only to sample(s) received and tested. The result expressed herein do not necessarily reflect the opinion or position of ACUMEN SCIENTIFIC SDN. BHD. Besides that, opinions and interpretations expressed herein are outside the scope of SAMM accreditation. This certificate of analysis is issued by the company subject to the terms and conditions of service which available and accessible at www.acumen.com.my.

ACUMEN
ONE STOP ANALYSIS SOLUTIONS

Plot No. 236, Tingkat Perumahan 5, Kawasan Perumahan Peral 2,
13600 Perai, Penang, Malaysia.
Tel : +604-398 1609 Fax : +604-399 1609
Email: inquiry@acumen.com.my Website: www.acumen.com.my

ISO 17025
MS ISO/IEC 17025
TESTING
SAMR NO. 231

CERTIFICATE OF ANALYSIS

RETURN LEGACY GROUP
49-2 & 49-M, Jin Pju 5/20,
The Strand, Kota Damansara,
47810 Petaling Jaya,
Selangor.
Tel : 03-6142 6026 Fax : 03-3142 4026
Attn : Mr Lee

Certificate No : CN/MCB0155/0614
Sample Log Code : MCB0153/0614
Sample Received Date : 20-Jun-2014
Complete Analysis Date : 26-Jun-2014
Date Issue : 26-Jun-2014

Sample Description : W+
Analysis results :

Parameter	Units	Analysis Result	Standard Method/Technique/Equipment Used
E. coli Count	MPN/g	ND(<1.8)	In-house Method LWI-TEC-M003 based on FDA's BAM Chapter 4 (2001) (MPN Technique)
Enterobacteriaceae	CFU/g	ND(<10)	ISO 21528-2:2004 (Pour Plate Techniques)
Staphylococcus aureus Count	CFU/g	ND(<10)	In-house Method LWI-TEC-M006 based on FDA's BAM Chapter 12 (2001) (Spread Plate Technique)
Total Bacteria Count	CFU/g	3.6x10 ⁶	In-house Method LWI-TEC-M002 based on FDA's BAM Chapter 3 (2001) (Pour Plate Technique)
Yeasts and Molds Count	CFU/g	4.0x10 ²	In-house Method LWI-TEC-M009 based on FDA's BAM Chapter 18 (2001) (Pour Plate Technique)

Symbol "ND" denotes parameter which is not included within the scope of accreditation. ND denotes not detected.

Remark : -


Thuan Ping Fun
Manager
B.Sc (Hons)


Page 1/1

(*) Numerical number denotes detection limits

This report is provided solely for informational purposes and is not to be construed as providing legal advice, recommendations or warranties of any kind whatsoever. This report shall not be reproduced except in full, without written approval of the laboratory. All the analysis results shown in the certificates of analysis refer only to sample(s) received and tested. The result expressed herein do not necessarily reflect the opinion or position of ACUMEN SCIENTIFIC SDN. BHD. Besides that, opinions and interpretations expressed herein are outside the scope of SAMM accreditation. This certificate of analysis is issued by the company subject to the terms and conditions of service which available and accessible at www.acumen.com.my.

CERTIFICATION

 **TOXICOLOGY LABORATORY**
NATIONAL POISON CENTRE
Universiti Sains Malaysia, 11800 Penang, Malaysia
Tel: 04 653 2171/2172/2191 Fax: 04 653 2086 email: prmlab@usm.my



Bil. Kami (Our ref.) PRN2014/445 Bil. Tuan (Your ref.) - Tarikh (Date) 5th August 2014


SIJIL ANALISIS / CERTIFICATE OF ANALYSIS

Analisis (Analysis) : Corticosteroids screening

Sampel (Sample) : Received: Wednesday, July 23, 2014 at 11.26 am.
Name: W+
Type: Powder
Container: Sachet
Batch No.: -
Expiry Date: -
Mfg. Date: -


Pelanggan (Client) : Return Legacy Group
49-2 & 49-M, Jln PJU 5/20, The Strand, Kota Damansara
47810 Petaling Jaya, Selangor

Kaedah Ujian (Test Method) : Gas Chromatography-Mass Spectrometry (GC-MS)

Keputusan (Result) :  Special Life | Special Legacy

No.	Test Parameter	Result (µg/g)
1	Dexamethasone	ND (<10)
2	Betamethasone	ND (<10)
3	Cortisone	ND (<5)
4	Hydrocortisone	ND (<10)
5	Prednisone	ND (<10)
6	Prednisolone	ND (<5)
7	Methyl prednisolone	ND (<5)
8	Triamcinolone	ND (<40)

Nota (Note) :
1) ND: Not detected
2) µg/g: part per million


Che Nin Man
(IKM No: A/2962/5758/10)
Senior Science Officer


The method refers to USM/NPC/TM03


NOT FOR PURPOSE OF ADVERTISEMENT OR ANY LEGAL IMPLICATION

PRN2014/445 (Page 2 of 2)

This certificate of analysis shall not be reproduced except in full, without written approval of the laboratory.

CORTICOSTEROIDS SCREENING

 **TOXICOLOGY LABORATORY**
NATIONAL POISON CENTRE
Universiti Sains Malaysia, 11800 Penang, Malaysia
Tel: 04 653 2171/2172/2191 Fax: 04 653 2086 email: prmlab@usm.my



Bil. Kami (Our ref.) PRN2014/445 Bil. Tuan (Your ref.) - Tarikh (Date) 5th August 2014


SIJIL ANALISIS / CERTIFICATE OF ANALYSIS

Analisis (Analysis) : Drugs screening

Sampel (Sample) : Received: Wednesday, July 23, 2014 at 11.26 am.
Name: W+
Type: Powder
Container: Sachet
Batch No.: -
Expiry Date: -
Mfg. Date: -


Pelanggan (Client) : Return Legacy Group
49-2 & 49-M, Jln PJU 5/20, The Strand, Kota Damansara
47810 Petaling Jaya, Selangor

Kaedah Ujian (Test Method) : Gas Chromatography-Mass Spectrometry (GC-MS)

Keputusan (Result) :  Special Life | Special Legacy

No.	Test Parameter	Result
1	Drugs (Appendix 1)	ND

Nota dan pendapat (Note and opinion) :
1) ND: Not detected
2) Please refer to Appendix 1 for further information on the list of drugs tested and limit of detections.


Che Nin Man
(IKM No: A/2962/5758/10)
Senior Science Officer

The method refers to USM/NPC/TM04

NOT FOR PURPOSE OF ADVERTISEMENT OR ANY LEGAL IMPLICATION

PRN2014/445 (Page 2 of 3)

This certificate of analysis shall not be reproduced except in full, without written approval of the laboratory.

DRUGS SCREENING

CERTIFICATION



Health Sciences Authority
11 Biopolis Way #11-03 Helix
Singapore 138667
Tel: 65 6866 3400 Fax: 65 6478 9027
Website: www.hsa.gov.sg

 HSA
Health Sciences Authority

HSA-1407-01265

10 November 2014

DID: (65) 6866 3499
FAX: (65) 6478 9037

RETURN LEGACY GROUP
Attn: Mr Saw Tiong Lim

Dear Mr Saw

RETURN LEGACY W+

Thank you for your enquiry on the above product.

2 From the information supplied, please be advised that this product presently does not need to be registered and can be imported and sold without a licence from this Authority provided the requirements stated in Annex 1 are complied with.

3 As the above product can affect the health of consumers, the responsibility for the safety and quality of this product and compliance with the Guidelines for Health Supplements rests with the dealer (importer, manufacturer, seller). Moreover, it is imperative that they also possess adequate knowledge on the products dealt by their company.

4 More information on health supplements, including the above guidelines, can be found [here](#).

5 This letter is not to be construed as an endorsement/approval of the product in question nor of any claim made for it and is not to be used in the advertisement/sales promotion of the product.

6 The above advice is given without prejudice to any future legislative and administrative change on the control of the product concerned. It may not be applicable or may be superseded as and when new information on **RETURN LEGACY W+** is subsequently obtained.

Yours sincerely



Kwok Yu Ning (Ms)
Regulatory Specialist
Complementary Health Products Branch
Health Products Regulation Group

Encl. Annex 1

Page 1 of 2

Health Products Regulation Group • Health Services Group • Applied Sciences Group
A Statutory Board of the Ministry of Health | The Singapore Public Service • Integrity • Service • Excellence

مركز البحوث لتوثيق الحلال في آسيا
IFRC ASIA
ISLAMIC FOOD RESEARCH CENTRE ASIA
MALAYSIA • HONG KONG • ASIA REGION
A Division of Bahtera Lagenda Sdn. Bhd. (250381-001)
WWW.HALALFOODASIA.ORG

"In the name of Allah, the Most Gracious, the Most Merciful"

بسم الله الرحمن الرحيم

CERTIFICATE OF HALAL PRODUCTS FOR EXPORT

After having verified and conducted plant inspection and processing, this is to confirm that the product(s) meets The Shariah Principles and The Codex General Guidelines for the use of the term "Halal", 1997 under supervision of Islamic Food Research Centre (IFRC) – Malaysia & Asia Region, an organization owned by Bahtera Lagenda Sdn. Bhd. The product contains Halal ingredients, therefore is lawful for Muslims and Taysir for mankind. This certificate can only be displayed at the exporting countries and is prohibited to be displayed in Malaysia as it is an offence to do so.

Certificate No.: IFRC/P-EXPORT/JU/15/004
Company Name: RETURN LEGACY SDN. BHD. (1080589-X)
K-3-1, Pusat Perdagangan Kota Damansara, No. 12,
Jalan PJU 5/1, Kota Damansara, 47810 Petaling Jaya,
Selangor Darul Ehsan, Malaysia.
Plant Address: BRANDS CREATIVE SOLUTIONS SDN. BHD. (924295-X)
No. 9, Jalan Balam US/170, Sek U5, Bandar Pinggiran Subang,
40150 Shah Alam, Selangor Darul Ehsan, Malaysia.
Product Name (s):
1. MEDITERRANEAN GOLD
2. REOX W+
Nature of Product (s): Health Supplement

This certificate is valid until January 23, 2016.

This certification is not a fatwa but merely a halal endorsement by Islamic Food Research Centre (IFRC) – Malaysia & Asia Region, a member of the World Halal Council.

Uj. Abdullah Fahim HJ. Ab Rahman
Halal Consultant

Rusmanan Lue Darof
Ingredient Analyst

"May Allah (swt) bless those who do not place the trust of others"

This document is not to be copied and is considered valid only with seal.

A Member of World Halal Council

No. 5/11, 3rd Floor, One Avenue, Dataran Petai Utama, PT 84, Jalan Masjid, 61000 Petaling Jaya, Selangor, Malaysia.
Tel: +603-7726 3466, +603-7726 3464, +603-7726 3475, 0800 Fax: +603-7726 3475 Email: info@halalfoodasia.com
Hong Kong / Shenzhen Office: Unit 2006, Main Block, Chungking Plaza, Cheung Kwan, Leung's Finance, Sheung Wan, 508002 Guangdong Province, P.R. China
Tel: +86-755-23447588 Fax: +86-755-33241119

**CERTIFIED BY HEALTH SCIENCES AUTHORITY
FROM SINGAPORE**

TESTIMONIAL



medigold, W+ & H+



Before



After

Hair reborn after consume W+

TESTIMONIAL



Lima hari selepas W+,
Kuku mulai menjadi cantik,
kulit sekelilingnya juga menjadi
lebih sihat.

W+ help breasts
get fuller and
firmer



TESTIMONIAL



Saya sangat gembira kerana berjaya mengandung selepas 2 kotak W+ !! Terima kasih Return Legacy...

